



Carving
COLLECTION

**1200x
1600 MM**



IBIS is a flourishing center for Italian design and tiles. Ibis is a new conglomerate that offers a rich array of products and services in terms of design and manufacturing of tiles. Ibis represents unparalleled technical, artistic and organizational standards that distinguish it from its peers.


IBIS is the essence of years of rigorous research. In its core efforts, Ibis epitomizes the urge to establish new standards and norms in the industry.

Over decades of experience has gone into the makings of this ambitious venture that is set to revolutionize art and craft of manufacturing tiles. Based on ground-breaking research, Ibis has conceptualized its ravishing designs and world-class manufacturing process.

THE NEW FRONTIERS OF SMART MARBLE FROM INDIA



CONNECTING THE VALUE OF SLAB



Legacy

Elevating classic style for today's Homeowner.

New Lifestyle

Leading edge design and innovation.

Heritage



Modernist

CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

PRODUCT Formats



The thicknesses are one of the most important elements characterizing ibis.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

Grey



White



IVORY




Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of
The Residential Kitchen

Elevating Classic Style
for Today's Homeowner

Leading Edge Design
and Innovation

PRODUCT Range



PRODUCT Finishes

CARVING

The Carving effect not only provides a depth effect to your flooring but also adds a shining effect.





REVEL IN THE MAJESTIC
BEAUTY OF CARVING

Born for the crest of creation, the slabs reflect the exceptional beauty of nature through their excellent designs that create a glorious ambiance in your space.





FEEL THE ABSOLUTE
ART OF ELEGANCE

Carving collection renew the legacy of a depth effect that has always been popular in architecture, to offer contemporary design the prestige and timeless appeal of carefully selected by our designers.

APPLICATION Areas

AIRPORT



DISCOTHEQUES



INDUSTRIES



GYMNASIUMS



HOTELS



CORRIDORS HALLS



SCHOOLS



SUPER MARKET



OFFICE



TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE




HYGIENIC



RESISTANT TO UV RAYS





ATLANTIC GREY



ATLANTIC GREY

Random Face 3


BODY
GREY BODY

FINISH
CARVING



SIZE
1200x1600 MM

THICKNESS
15 MM





BAGNARA



BAGNARA

Random Face 3

BODY
GREY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM



BULGARI GREY



BULGARI GREY

Random Face 3

BODY
GREY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION



CARNEL GREY



CARNEL GREY

Random Face 3

BODY
GREY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION



DENIM GREY



DENIM GREY

Random Face 3

BODY
GREY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION



RIVA GREY



RIVA GREY

Random Face 3


BODY
GREY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION



TRAVERTINE CLASSIC GREY



TRAVERTINE CLASSIC GREY


Random Face 3

BODY
GREY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM



VERSACE GOLD



VERSACE GOLD

Random Face 3

BODY
GREY BODY


FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION





VINTAGE GREY



VINTAGE GREY

Random Face 3

BODY
GREY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM





CAPRICORN GOLD



IBIS

SMART MARBLE



CAPRICORN GOLD

Random Face 3

BODY

WHITE BODY

FINISH

CARVING

SIZE


1200x1600 MM

THICKNESS


15 MM



Carving
COLLECTION



FLARE WHITE



FLARE WHITE

Random Face 3

BODY
WHITE BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM



LIMER WHITE



SMART MARBLE

LIMER WHITE

Random Face 3



BODY
WHITE BODY

FINISH
CARVING



SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION



STATUARIO LIVON



STATUARIO LIVON


Random Face 3

BODY
WHITE BODY

FINISH
CARVING

SIZE
1200x1600 MM




THICKNESS
15 MM



STATUARIO NERO

STATUARIO NERO

Random Face 3



BODY
WHITE BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM



ALBERT BEIGE



ALBERT BEIGE

Random Face 3

BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM





BLUETEE



BLUETEE

Random Face 3

BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION



BOTTOCHINO VENATO



BOTTOCHINO VENATO

Random Face 3

BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM





CARNEL IVORY



CARNEL IVORY

Random Face 3

BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM





DENIM BEIGE



DENIM BEIGE

Random Face 3

BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM





FORESTO BEIGE



FORESTO BEIGE

Random Face 3


BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION



REGAL NATURAL



REGAL NATURAL

Random Face 3

BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM



Carving
COLLECTION



RIVA BEIGE



RIVA BEIGE

Random Face 3

BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION



TRAVERTINE CLASSIC



TRAVERTINE CLASSIC

Random Face 3


BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM





VICTORIA BEIGE



VICTORIA BEIGE

Random Face 3

BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM

Carving
COLLECTION



VINTAGE ALMOND



VINTAGE ALMOND

Random Face 3

BODY
IVORY BODY

FINISH
CARVING

SIZE
1200x1600 MM

THICKNESS
15 MM





SMART MARBLE

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF IBIS	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m ³ m	Max. 132m ³ m	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< ¹²) / Posh ≥P1(¹²⁻²⁴)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished
 ** Except Hydrofluoric Acid & it's compound
 # Tiles Intended for use on floor
 ## As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Carving	Color Body	1200x1600mm	15mm	1pc	20.67 Sq ft	67 Kgs



**IBIS
SMART MARBLE PVT LTD**

Sr No : 1067 / 1 P1,2,3,4,6
Village-Ghuntu, Taluka-Morbi,
Rajkot, Gujarat-363642, INDIA.

FOR SALES INQUIRY :

ibissmartmarble@gmail.com
export@ibissmartmarble.com

CONTACT :

+91 95812 95812

WEBSITE :

www.ibissmartmarble.com

